


MAIACHOWSKI, S., inz.

Diagnostics of automobile motors; testing the sucking system
and the feeding mechanism. Techn motor 13 no. 5/6;
Supplement: Biul inf OBTS 9 no. 3: 1-2 My-Je '63.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

ILLEGIBLE



technique. Experimental results show that a depletion space-charge layer is formed in the HgSe under the effect of a negative gate field. The time constant of the slow changes depends on the semiconductor and film thickness; it is longer for devices with thicker films. Orig. art. has 2 figures. [NT]

SUB CODE: 11, 20/

SUBM DATE: 22Jan66/

ORIG REF: 001/
OTH REF: 004/

Card 2/2MLP

L 39810-66 EWT(m)/ETC(f)/EWG(m)/EWP(t) IJP(c) RDW/JD/GD-2/JG
ACC NR: AP6010766 SOURCE CODE: GE/0030/66/014/001/OK35/OK37

AUTHOR: Malachowski, M. J.

ORG: WAT, Warsaw

TITLE: HgSe thin-film transistor

SOURCE: Physica status solidi, v. 14, no. 1, 1966, K35-K37

TOPIC TAGS: magnetic film, semiconducting film, transistor, magnetic structure, electrode, evaporation, mercury compound, mercury selenide, mercury selenide transistor

ABSTRACT: An investigation has been conducted of the construction of thin-film transistors. The results concerning the thin-film transistor devices with HgSe as an active thin-film semiconductor are described. Measurements were carried out on thin-film structures which were constructed as follows: The source drain electrodes (Au or Ag) were evaporated on a glass disk. They were in the form of 3-mm wide strips. An n-type HgSe film strip of 2-mm wide was deposited by evaporation in vacuum on these electrodes. The film thickness ranged from 200 to 800 Å. An insulating CaF₂ film was evaporated on the HgSe and source drain films. Finally, a strip of Cu or Cd 2.5-mm wide, which served as the gate electrode, was evaporated on the source drain gap. Ten structures were obtained simultaneously on each disk by using a proper masking.

Card 1/2

16
B

2

MALACHOWSKI, M.

What about the industrialization of building construction? p. 43. (Przeglad Budowlany, Vol. 29, No. 2, Feb 1957, Warsaw, Poland)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 8, Aug 1957. Uncl.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

MALACHOWSKI, B.

"The Soviet Tien Shan." P. 141,
(WIERCHY, Vol. 22, 1953, Krakow, Poland.)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3,
No. 12, Dec. 1954, Uncl.

Malachowska, Irinka
MALACHOWSKA, Irinka

Histaminogenic strains of *E. coli* in diarrhea in children. Med. dosw. mikrob. 9 no.4:387-393 1957.

1. Z Zakladu Bakteriologii Państwowego Zakladu Higieny w Warszawie.
(DIARRHEA, in infant and child.,
caused by histamine-synthetizing *E. coli* (Pol))
(HISTAMINE, metabolism,
E. coli, synthesis by strains prod. diarrhea in child (Pol))
(ESCHERICHIA COLI, metabolism,
histamine synthesis by strains prod. diarrhea in child. (Pol))

MALACHOWSKA, Irena

Antigenic relationship between Escherichia coli and Shigella dysenteriae. Med. dosw. mikrob. 8 no.4: 447-453 1956.

1. Z Zakladu Bakteriologii Panstwowego Zakladu Higieny w Warszawie.

(ESCHERICHIA COLI,

fecal in diarrhea in child., antigenic relation to Shigella dysenteriae (Pol))

(DIARRHEA, in infant and child,

fecal E. coli & Shigella dysenteriae, antigenic relationship (Pol))

(SHIGELLA DYSENTERIAE,

fecal in diarrhea in child., antigenic relation to E. coli (Pol))

(FECES, microbiology,

E. coli & Shigella dysenteriae in diarrhea in child., antigenic relation (Pol))

MALACHOWSKA, Irena

Serological groups of strains of *E. coli* isolated in cases of diarrhea in children during 1953-54. Med. dosw. mikrob. 8 no.4: 441-446 1956.

1. Z Zakladu Bakteriologii Panstwowego Zakladu Higieny w Warszawie.
(DIARRHEA, in infant and child,
fecal *E. coli*, serol. groups (Pol))
(FECES, microbiology,
E. coli in diarrhea in child., serol. groups (Pol))
(ESCHERICHIA COLI,
fecal in diarrhea in child., serol. groups (Pol))

MALACHOWSKA, Irena; STECPNIEWSKA, Magdalena

Studies on serum for antigen B4 of Escherichia coli. Med.
dosw. mikrob. 8 no.1:17-22 1956.

1. Z Zakladu Bakteriologii P. Z. H. w Warszawie.
(IMMUNE SERUMS,
antigen B4 antiserum of E. coli. (Pol))
(ESCHERICHIA COLI, immunology,
antigen B4 antiserum. (Pol))

MEDUSKI, J.; MALACHOWSKA, I.; LINDE, A.

Studies on the effect of conditions of culture on the course
of enzymatic activity in *Escherichia coli*. *Acta microb. polon*
5 no.1-2:53-56 1956.

1. Z Pracowni Przemiany Posredniej Zakladu Biochemii i PZH w
Warszawie.

(*ESCHERICHIA COLI*, culture,
eff. of adaptation to citrates on enzymatic activity (Pol))
(CITRATES,

eff. of adaptation of *E. coli* to citrates on enzymatic
activity (Pol))

MALACHOWSKA, I.

BIELICKA, I; MALACHOWSKA, I.; KONOPNICKA-LACZNSKA, B.

Investigations on the role of alpha strain of Escherichia coli in etiology of diarrheas in newborn infants. Pediat. polska 30 no.10:933-936 Oct. '55.

1. Z Oddzialu Wczesniakow Kliniki Niemowlecej Instytutu Matki i Dziecka w Warszawie. Dyrektor Instytutu: prof.dr med Mr. Groer. Kierownik kliniki: doc. dr med. I. Bielicka i z Państwowego Zakladu Higieny w Warszawie. Dyrektor: prof. dr med. F. Przesmycki Warszawa, Kasprzaka 17, I.M. i Dz.

(DIARRHEA, bacteriology,
E.coli in newborn)
(ESCHERICHIA COLI, infections,
diarrhea in newborn)

MAŁACHOWSKA, I.

EXCERPTA MEDICA Soc.7 Vol.10/5 Pediatrics May56

940. MAŁACHOWSKA I., KANABUSOWA I., LEWENFISZ-WOJNAROWSKA T. and SOKOŁOWSKA A. Państwowego Zakł. hig., Warszawa; I., II Klin. Chor. Dziecięcych A. M., Warszawa. *Rola pąteczki okrężnicy typu alfa I beta w etiologii biegunki dziecięcych. The role of Esch. coli alpha and beta in the aetiology of infantile diarrhoeas PEDIAT. POL. 1955, 30/3 (211-216) Tables 1

In the investigations carried out in 1952 and 1953 in 520 children suffering from diarrhoea, alpha type was found in 43% of the cases, type beta in 9.8%. Out of 181 control cases type alpha appeared in 11%, and type beta in 2.8%. Sera of ill children agglutinated with the homological alpha and beta strains in titres from 1:80 to 1:2560.

Authors' summary (XX, 7, 4)

MALACHOWSKA, Irena

Importance of Escherichia coli strains. Wiadomosci lek. 8 no.2:
68-71 Feb 55.

1. Klinika Gastrologiczna A. M. W-wa, Goszczyńskiego.
(ESCHERICHIA COLI,
strains & substrains, clin, importance)


MALACHOWSKA, Irena; PEKALA, Tadeusz.

Anti-Escherichia coli specific antibodies in the blood of
children with infantile diarrhea. Med.dosw.mikrob. 7 no.4:
371-376 1955.

1. Z Państwowego Zakładu Higieny w Warszawie.
(DIARRHEA, in infant and child,
anti-E.coli specific antibodies in)
(ANTIGENS AND ANTIBODIES,
E. coli antibodies in inf.diarrhea)
(ESCHERICHIA COLI,
antibodies, in inf. diarrhea)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

ILLEGIBLE



MALACHOWSKA, I.

Cold agglutination reaction with sera in diarrhea in children. Pediat.
polska 28 no.6:597-602 June 1953. (CIML 25:4)

l. Of the State Institute of Hygiene (Director--Prof. F. Przesmycki,
M.D.), Warsaw.

MALACHOWSKA, I.; SOKOLOWSKA, A.; SZYMANSKA, H.

Method of therapy of infant diarrheas with associated aureomycin and antistine and effect of the therapy on bacterial flora.
Med. dosw. mikrob. 5 no.3:374-375 1953. (CLML 25:5)

I. Warsaw.

MALACHOWSKA, I.

Preliminary investigation on the effect of ultrasonics on variability
in microorganisms. Med. dosw. mikrob., Warsz. 4 no. 3:302-303 1952.
(CIML 23:3)

1. Summary of work progress presented at 11th Congress of Polish
Microbiologists held in Krakow May 1951. 2. Warsaw.

MALACHOVSKIS, A., biol. m. kand.

A simple method for the determination of residual nitrogen concentrations by the method of direct titration. Sveik. apsaug. no. 11:
32-39 '62.

I. Onkologijos m. t. instituto biochemie laboratorija.
(NITROGEN)

I 9802-66

ACC NR: AT5023945

conclusions are then developed, as follows. The main source of fission products entry into the atmosphere, particularly in the Spring, - is the region of moderate latitudes. Atmospheric contamination levels and their seasonal variations depend upon the intralatitude atmospheric exchange between the Eurasian continent and the polar regions high latitudes. The differences in radioactive contamination of the ground level air in Thule and on the island of Hava can be due to the presence of the quasi-stationary Greenland anticyclone. Differences in local meteorological conditions can lead to substantial contamination differences for individual regions, even those belonging to the same latitude belt.

ASSOCIATION: 00

ENCL: 00

SUB CODE: 18,08

SUBMITTED: 00

OTHER: 013

(18)

NO REF Sov: 012

Card 242

REF ID: A15023045	EWI(A)/EWI(M)/FCC/GWA(S)	GW/GS	UR/0000/65/000/000/0323/0337
ACC. NR.			
AUTHOR:	<u>Melachov, S.G.</u>	<u>Davydov, B.N.; Nekhorosheva, M.P.</u>	44-57 17,65 B+1
TITLE: Time variations in the concentration of the fission products in the ground level atmosphere in the Moscow region and on the island of Hays, Franz Joseph Land, during 1956-1963.			
SOURCE: Nauchnaya konferentsiya po yadernoy meteorologii. Odninsk, 1964. Radioaktivnyye izotopy v atmosfere i ikh ispol'zovaniye v meteorologii (Radioactive isotopes in the atmosphere and their use in meteorology); doklady konferentsii. Moscow, Atomizdat, 1965, 323-337			44-57
TOPIC TAGS: atmospheric contamination, atmospheric pollution, radioisotope			17,44-57
ABSTRACT: The concentration of radioactive aerosols in ground level air is measured and the average monthly and yearly concentrations tabulated for Moscow (55° N.L.) and island of Hays (80° N.L.). The aim is to find the meteorological processes pertinent to the distribution mechanism. It is observed that the maximum concentrations of ground level atmospheric contamination happened in 1959, and particularly in 1963. Both Sr-89 and Sr-90 reached 12.5 microcuries/square kilometer in 1963. The fallout of Sr-90 is found to have a maximum in Spring, and a minimum in the Autumn. The variation is similar for the Moscow, Leningrad and Franz Joseph Land regions. Qualitative			
Card 1/2			

Malachov, A.

Occurrence of pyrrhotite-molybdenite-chalcopyrite mineralization in the
Jan Mine in Vrancice. P. 14
Prague. Narodni Museum. CASOPIS; ODDIL PRIRODOVEDNY. Praha.
Vol. 125, no. 1, 1956

Source: EEAL - LC Vol. 5. No. 10 Oct. 1956

MALACHOV, A.; KOURIMSKY, J.

MALACHOV, A.; KOURIMSKY, J. Willemite from Vrancice near Millin. p. 1.

Vol. 66, No. 8, 1956.

ROZPRAVY. RADA MATEMATICKO-FILOSOFICKA
SCIENCE

Praha, Czechoslovakia

To: East European Accession, Vol. 6, No. 3, March 1957

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

MALACHOV, A.

"Limit of extremes and their elimination by the calculation of ore resources."

RUDY. Praha, Czechoslovakia. Vol. 3, no. 8, Aug. 1955.

Monthly list of East European Accessions (EEAI), LC, Vol. 8, No. 6, Jun 59, Unclass.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

MALACHOV, A.

"Minimum Reliable Weight of the Initial and Reduced Sample and Maximum Permissible Distance Between Samples." p. 63, Vol. 2, no. 3, Mar. 1954. Praha

SO: East European Accessions List, Vol. 3, No. 9, September 1954, Lib. of Congress

MALACHI, Eugen, ing.

Labor productivity, 112%. Const Buc 16 no.732:3 18 Ja'64.

1. Seful santierului no.5- Resita al Trustului Regional de
Constructii de Locuinte, Banat.

MALACHEVSKIY, V.S.

Improving technical processes in the lime pit plant. Leg.prom.15
[i.e.16] no.3:47 Mr "56. (MLRA 9:?)
(Stalingrad--Leather industry)

Spectrophotometric Analysis Methods of Organic Compounds SGV/32-25-8-12/44
in Chemical Industry

in the waste water of the perchloro vinyl resin production the "method of heterochromatic extrapolation" (Ref 3) was applied. As examples of determination of two components they describe the determination of diethyl chloride and ethyl chloride in carbon tetrachloride (Table 1), the determination of cyclohexanol and cyclohexanone in cyclohexane and 2,4- and 2,6-toluylene diamine (Table 2). For the determination of ammeline and ammelide (Ref 5) according to a wave length ($1250 \text{ m}\mu$) the acidity of the medium is changed instead of the wave-length. The determination of 3 components is shown in the determination of hexachlorane isomers (Table 3) and the determination of 4, 5, and 6 components at the analysis of 1,1- and 1,2-diethyl chlorides, 1,1,2-trichloroethane and 1,1-, 1,2-, and 1, 1,2, 2-tetrachloroethane in carbon tetrachloride, and they also investigated a mixture of p-, m-, and o-xylol and ethyl benzene (Table 4). There are 1 figure, 4 tables, and 5 Soviet references.

Card 2/2

5 (3)

AUTHORS: Finkel'shteyn, A. I., Roginskaya, Ts. N., SOV/32-25-8-12/44
Balabanova, P. N., Malachevskaya, F. L.,
Fisher, A. M., Machin, G. P.

TITLE: Spectrophotometric Analysis Methods of Organic Compounds in
Chemical Industry

PERIODICAL: Zavodskaya laboratoriya, 1959, Vol 25, Nr 8, pp 932 - 934
(USSR)

ABSTRACT: The article contains descriptions of spectrophotometric analysis methods (SA) for the analysis of hexachlorane with simultaneous determination of the three α -, β -, and δ -isomers as well as for the determination of chlorobenzene in sewage water, the analysis of ammeline and ammelide mixtures, the determination of cyclohexanol and cyclohexanone in cyclohexane, etc. As the spectra of the investigated substances do not differ very much from that of the basic substance a modified measuring scheme (Figure) of the photocolorimeter was applied to make measuring at low optical densities easier. A copper-monoethanol amine-complex compound (Ref 1) serves as light filter; its maximum perviousness is at 1.25μ . The used photoelement was FESS-U10, the spectrometers IKS-12 and SF-4. For the determination of chlorobenzene

Card 1/2

2

SOV/51-6-3-22/28

A Simple Method of Preparation of Potassium Bromide Plates for Infrared Spectroscopy of Solids

ring (3). A plastic form (4) is placed on the lower plunger and filled with powder, which is then lightly compressed by means of a plastic piece 5. The form 4 and piece 5 are removed and the resultant thin rectangular plate is further compressed using the ring 3 and the upper plunger 2. It is necessary to apply 10-15 tons for several seconds or 5-7 tons for up to 30 minutes. The area of the plates produced is about 1 cm² (20 x 5 mm). There is 1 figure and 3 references, of which 1 is German and 2 English.

SUBMITTED: June 24, 1958

Card 2/2

SOV/51-6-3-22/28

AUTHORS: Finkel'shteyn, A.I., Malachevskaya, F.L., Fisher, I.M.
and Rabovskiy, B.G.

TITLE: A Simple Method of Preparation of Potassium Bromide Plates
for Infrared Spectroscopy of Solids (Prostoy sposob
prigotovleniya plastinok iz bromistogo kaliya dlya
infrakrasnoy spektroskopii tverdykh tel)

PERIODICAL: Optika i Spektroskopiya, 1959, Vol 6, Nr 3, pp 415-417,
(USSR)

ABSTRACT: The paper describes preparation of rectangular KBr or
NaCl plates containing the substance to be investigated
by infrared spectroscopy. The plates are prepared from
dried (12-18 hours at 200°C) powders. A small amount
(0.1-3%) of the investigated substance, also in powder
form, was added to KBr or NaCl and ground in a porcelain
mortar. The amount of the substance studied which is used
depends on the spectral region to be investigated and the
sensitivity and accuracy required. The plate is prepared
using simple apparatus (figure). It consists of two
Card 1/2 stainless-steel plungers (1 and 2) and a stainless-steel

MALACHEVSKAYA, A.S.

Pharmacological action of millefolium. Farm.i toks. 24 no.6:742-
744 N-D '61. (MIRA 15:11)

1. Kafedra farmakologii (ispolnyayushchiy obyazannosti zaveduyushchego
dotsent T.A.Men'shikh) Kuybyshevskogo meditsinskogo instituta.
(ACHILLEA) (PEPTIC ULCER) (WOUNDS--TREATMENT)

MALACHEVSKAYA, A. S.

"Pharmacology of Kitchen-Garden Fennel." Min Public Health USSR, All-Union Sci Res Chemico-pharmaceutical Inst imeni S. Ordzhonikidze, Kuybyshev, 1955
(Dissertation for the Degree of Candidate of Biological Sciences)

SO: Knizhnaya Petopis', No. 32, 6 Aug 55

I 35201-66

ACC NR: AP6026879

SOURCE CODE: RU/0022/66/011/002/0097/0101

AUTHOR: Malacea, Ion

ORG: Hydrotechnical Study and Planning Institute (Institutul de studii si cercetari hidrotehnice)

TITLE: Role of animal and vegetable organisms in the self-purification of water basins

SOURCE: Hidrotehnica, gospodarirea apelor, meteorologia, v. 11, no. 2, 1966, 97-101

TOPIC TAGS: water purification, biologic ecology, water pollution

ABSTRACT: After a brief characterization of aquatic basins from the ecological point of view, the author discusses the principal aspects of water pollution, the dynamics of self-purification processes and the role of various animal and vegetable organisms in these processes. Orig. art. has: 5 figures. [Based on author's Eng. abstract]
JPRS: 36,452

SUB CODE: 13, 06 / SUBM DATE: --Jun65 / ORIG REF: 002 / OTH REF: 013

Card 1/1 MRP

UDC: 628.394

MALACEA, I.; CURE, V.; WEINER, L.

Contribution to the knowledge of the noxious action of crude oil naphthenic acids, and phenols on certain fish and on the crustacean Daphnia magna Straus. Studii prot epur apelor 5:353-405 '64.

MALACEA, Ion

Experimental research on the toxic effect of chromium on certain species of fish and on the crustacean Daphnia magna. Studii prot epur spelor 4:347-365 '63.

MALACEA, I.

TECHNOLOGY

Periodical: REVISTA INDUSTRIEI ALIMENTARE. PRODUSE ANIMALE. No. 3,
1958.

MALACEA, I. Purification and utilization of residual waters from the sugar
industry in fish culture and agriculture. p. 1.

Monthly List of East European Accession (EEAI), LC., Vol. 8, No. 3,
March 1959, Unclass.

MALACEA, I

TECHNOLOGY

MALACEA, I. A decennium of fruitful activity at the Institute of Piscicultural Studies, 1947=1957. p. 1
No. 1, 1958 Periodical: REVISTA INDUSTRIEI ALIMENTARE. PRODUSE ANIMALE

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 3,
March 1959, Unclass.

RUMANIA / Chemical Technology. Chemical Products and H-5
Their Application. Water Treatment. Sewage.

Abs Jour: Ref Zhur-Khimiya, No 1, 1959, 1748.

Author : Malacea, I., Dragasau, St.

Inst : Not given.
Title : The Purification of Diffusion Waters in the
Sugar Refinery at Chitila.

Orig Pub: Bul. Inst cercetari pisicole, 1957, 16, No 4,
25-31.

Abstract: For the purification of diffusion waters (DW), in addition to the existing system which consists of a sedimentation reservoir and a biofilter (B), three ponds were laid out 0.5 hectars each intended for a two-purpose utilization: as a reservoir for the fermentation of DW over a period of 18 days (during September — January) prior to

Card 1/2

Rumania /Chemical Technology. Chemical Products
and Their Application
Water treatment. Sewage water.

H-5

Abs Jour: Referat Zhur - Khimiya, No 1, 1958, 1807

prove operation of the available installations
for the purification and neutralization of the
sewage water.

Card 2/2

Malacea, I.
Rumania /Chemical Technology. Chemical Products
and Their Application
Water treatment. Sewage water.

H-5

Abs Jour: Referat Zhur - Khimiya, No 1, 1958, 1807

Author : Malacea I., Raciviceanu R., Cure V., Dragosanu
Sit.

Title : Preliminary Investigations of the Pollution of
the Rivers Birsa, Vulcanita and Olt by Sewage
Water of the Paper and Cellulose Plant at
Zarnesti.

Orig Pub: Bul. inst. cercetari piscicole, 1956, 15, No 3,
66-76

Abstract: Sewage water has a detrimental effect on pisci-
culture and on the sugar refinery located nearby.
It is recommended fully to utilize the sulfite
liquors, to remove the cellulose fibers and im-

Card 1/2

RUMANIA / General and Specialized Zoology - Insects.

P

Abs Jour : Ref Zhur - Biologiya, No 5, 1959, No. 20844

Author : Malacea, I.; Botnariuc, N.

Inst : Institute of Fish Studies

Title : Investigations on the Dynamics of
Populations of Tendepedides in Contaminated
Waters of the Basin of the Colentina River

Orig Pub : An. Inst. cercetari piscic., 1956, 1 (4),
227-256

Abstract : The dynamics of the copulations of
tendepedide larvae in the lower course of
the Colentina River and in Beneas Lake,
which is situated in the course of the
river, periodically subjected to contamina-
tion by waste effluents, is discussed.

Card 1/1

MALACSI, I.

Marginal comments on the proposed standard "Residual waters; Physicochemical and Bacteriological Conditions of a Natural Current of Water at the Point of Discharging with Residual Waters." p. 16.
STANDARDIZAREA, Bucuresti, Vol. 7, no. 1, May 1959.

SO: Monthly List of East European Accessions, (S.M.), 12, Vol. 4, no. 10, Oct. 1959,
"incl."

MALACEA, Ion

Rumania/Analytical Chemistry - Analysis of Inorganic Substances, G-2

Abst Journal: Referat Zhur - Khimiya, No 19, 1956, 61881

Author: Malacea, Ion

Institution: None

Title: Improved Procedure for Taking Samples of Water for Physicochemical Analysis

Original

Periodical: Un sistem ameliorat de luarea probelor de apa pentru analize fizico-chimice, Bul. Inst. cercetari piscic., 1953, 12, No 4, 75-77; Rumanian

Abstract: Description of an apparatus for simultaneous collection of several samples of water for physicochemical analysis.

Card 1/1

L 40190-66 T/EWP(1) IJP(c) BB/GG/JXT(bf)
ACC NR: AP6030056 SOURCE CODE: CZ/0039/65/026/007/0385/0390

AUTHOR: Borovickova, B.—Borovichkova, B. (Doctor; Candidate of sciences);
Malac, V.—Malach, V. (Engineer) 42
B

ORG: [Borovickova] Institute of the Czech Language, CSAV, Prague (Ustav pro jazyk
cesky CSAV); [Malac] Research and Development Institute of Electroacoustics, Prague
(Vyzkumny a vývojovy ustav elektroakustiky)

TITLE: Automatic identification of speech with a computer 16U

SOURCE: Slaboproudý obzor, v. 26, no. 7, 1965, 385-390

TOPIC TAGS: computer, speech recognition, computer application

ABSTRACT: The introduction of the article explains the process of speech perception
and states some experimental results. Then the possibility of automatic speech iden-
tification with a computer is discussed, and a definition is given of the relevant
regions of the acoustical spectra of speech-sounds, together with a method for their
determination and procedures for the automatic identification of speech by means of a
computer, using either passive or active analysis. Orig. art. has: 5 figures.
[Based on authors' Eng. abst.] [JPRS: 33.541]

SUB CODE: 09, 17 / SUBM DATE: 02Feb65 / ORIG REF: 005 / SOV REF: 001
OTH REF: 016

Card 1/1

UDC: 534.78

0918 0651

L 10470-66

ACC NR: AP6003695

SOURCE CODE: CZ/0039/65/026/001/0001/0005

AUTHCR: Merhaut, Josef—Mergaut, J. (Professor, Doctor, Doctor of sciences);
Malac, Vlastislav—Malach, V. (Engineer)

39

ORG: Electroacoustic Research and Development Institute, Prague (Vyzkumny a
vyvojovyi ustav elektroakustiky); Tesla n. p., Pardubice

B

TITLE: Cross-talk limits in stereophonic reproduction

SOURCE: Slaboproudý obzor, v. 26, no. 1, 1965, 1-5

TOPIC TAGS: acoustics, electronics

ABSTRACT: Experimental investigations are described on the limits of permissible cross talk between channels in two-channel stereophony. The test subjects were trained listeners with normal hearing; stereophonic music was played with a two-octave range. The XY as well as the AB signals were measured. The results showed that cross-talk limits depend on frequency, and that narrow-range cross talk is tolerated substantially better than had been anticipated. Orig. art. has: 11 figures and 1 table. [JPRS]

SUB CODE: 20, 09 / SUBM DATE: 12May64 / OTH REF: 002

HW

Cord 1/1

UDC: 621.396.813

L 29519-66

ACC NR: AP6020019

SOURCE CODE: CZ/0079/65/007/003/0302/0303

AUTHOR: Vinar, O. (Prague); Bastecky, J.; Borovickova, B.; Zichova, M.; Malac, V.

ORG: Psychiatric Research Institute; Laboratory of Phonetics, Institute of Czech Language, CSAV; Research Institute of Electroacoustics

TITLE: Delayed auditory feedback in schizophrenia and LSD induced state [This paper was presented at the 7th Annual Psychopharmacological Meeting, Jesenik, 20-23 January 1965.]

SOURCE: Activitas nervosa superior, v. 7, no. 3, 1965, 302-303

25
B

TOPIC TAGS: psychoneurotic disorder, behavior pattern, pharmacology


ABSTRACT: The authors tried to confirm a hypothesis that the disturbance induced by delayed auditory feedback is smaller in people who are more independent of exteroceptive signalization. 11 healthy subjects before and after administration of LSD and 13 schizophrenics were subjected to a series of tests. The results did not support the stated hypothesis. J. Noskova provided technical assistance. Orig. art. has: 1 figure and 1 table. [Orig. art. in Eng.] [JPRS]

SUB CODE: 06 / SUBM DATE: none / ORIG REF: 001 / OTH REF: 001

Card 1/1 JS

L 13161-66 EWA(j)/EWA(b)-2 RO		SOURCE CODE: CZ/0079/65/007/002/0193/0195 <i>36B</i>
ACC NR: AP6005685	AUTHOR: Vinar, O.; Bastecky, J.; Borovickova, B.; Zichova, M.; Malac, V.	
ORG: Psychiatric Research Institute, Prague; Laboratory of Phonetics, Institute of Czech Language, CSAV; Research Institute of Electroacoustics		
TITLE: Method of delayed auditory feedback in psychiatry [This paper was presented at the Third Interdisciplinary Conference on Experimental and Clinical Study of Higher Nervous Functions held in Mariánské Lázně from 17 to 19 October 1964]		
SOURCE: Activitas nervosa superior, v. 7, no. 2, 1965, 193-195		
TOPIC TAGS: psychiatry, drug effect		
ABSTRACT: The importance of speech functions in the investigation of psychic functions is discussed. The arrangement designed by the authors allows a person to hear his own voice with a delay of 1/10th of a second. Disturbances caused by this arrangement were investigated in healthy people, in healthy people under the influence of lysergic acid diethylamide, and in schizophrenics. Speed of reading, vocal intensity, frequency of errors, and activity of mimic muscles were registered. The results obtained by the authors seem suitable for the evaluation of psychiatric patients and psychotropic drugs. Orig. art. has: 1 figure. [JPRS]		
SUB CODE: 06, 05 / SUBM DATE: none / ORIG REF: 001 / OTH REF: 006		
Card 1/1 NW		

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700038-6

THE UNIVERSITY OF TORONTO LIBRARIES

1. *Environ Monit Assess* 2009; 147: 1–10. doi: 10.1007/s10661-008-0660-2

10. *Urotheca* *luteola* (L.) Benth.

10. The following table shows the number of hours worked by 1000 workers in a certain industry.

10. The following table shows the number of hours worked by each employee.

10. The following table shows the number of hours worked by each employee in a company.

10. The following table shows the number of hours worked by 1000 employees in a company.

10. The following table shows the number of hours worked by each employee.

6. The following table gives the number of hours worked by each of the 100 workers.

10. *Leucosia* *leucostoma* *leucostoma* *leucostoma* *leucostoma* *leucostoma*

Figure 1. A sequence of frames from a 1000 frame sequence showing the evolution of a single cell.

10. The following table shows the number of hours worked by each employee.

10. The following table shows the number of hours worked by 1000 workers in a certain industry.

Z/039/62/023/011/002/005
x192/8382

Determination of

Czech language. The measurements were conducted in the music theatre in Prague which had congenial acoustic and climatic conditions. Each set of measurements comprised 12 - 18 individual measurements. Up to 100 syllables were used in each individual measurement under the same physical conditions (frequency bandwidth). The main conclusion resulting from the measurements was that the intersection of the articulation-index curves for low-pass and high-pass filters in Czech occurred at a frequency of 1.3 kc/s (see curve c in Fig. 8), whereas these points for Japanese (curve j - Fig. 8), English (curve a - Fig. 8) and Russian (curve r - Fig. 8) occurred at about 1.9 kc/s. This deviation in Czech was though to be primarily due to the different spectral composition of the language and to the fact that all the measurements were carried out using the same speaker. There are 8 figures and 2 tables.

ASSOCIATION: Fonetický kabinet Československé akademie věd,
Praha (Phonetics Studio of the Czechoslovak
Academy of Sciences)
Výzkumný a vývojový ústav elektroakustiky, Praha
(Research and Development Institute of Electro-
acoustics, Prague)

Card 2/5

43171
Z/039/62/023/011/002/003
E192/E382

6.5000

AUTHORS: Borovicková, Blanka, Doctor and Maláč, Vlastislav,
Engineer

TITLE: Determination of the articulation index of the
Czech language

PERIODICAL: Slaboproudý obzor, v. 23, no. 11, 1962, 625 - 630

TEXT: The articulation index, i.e. the additive articulation as a function of frequency, can be determined experimentally by carrying out a series of measurements by means of successively narrowing, low-pass and high-pass filters which restrict the speech spectrum from above or below. A set of syllables is read during each measurement and these are recorded by a group of listeners. The impressions gained by the listeners are checked and the number of correctly recorded syllables is used to determine the percentage articulation. These values are plotted in graphs as a function of the cut-off frequencies of the filters and represent the dependence of the percentage articulation on the cut-off frequency. After some preliminary measurements, this method was employed to determine the articulation index for the

Card 1/3

VX

On problems of subjective ...

Z/039/62/023/007/002/005
D409/D301

most important English-language reference is: N.R. French - J.C. Steinberg: Factors Governing the Intelligibility of Speech Sounds. JASA 19 (1947), pp 90 - 119.

ASSOCIATION: Fonetický kabinet ČSAV, Praha (Phonetics Cabinet, Czechoslovak Academy of Sciences, Prague) (B. Borovičková); Výzkumný a vývojový ústav elektroakustiky, Praha (Research and Development Institute of Electro-acoustics, Prague) (V. Maláč)

SUBMITTED: March 24, 1962

✓
D

Card 2/2

6.2000

Z/039/62/023/007/002/005
D409/D301

AUTHORS: Borovicková, Blanka, Doctor, and Maláč, Vlastislav,
Engineer

TITLE: On problems of subjective evaluation of transmission
channels

PERIODICAL: Slaboproudý obzor, v. 23, no. 7, 1962, 374 - 377

TEXT: The article describes problems of audio intelligibility and articulation tests for subjective evaluation of speech-transmission channels, and lists parameters which should be kept constant during hearing tests. Described in detail are the choice of test texts, i.e. syllables which characterize the features of the living language, and the selection and training of test speakers. The paper is intended as a preparation for extensive subjective measurements with the aim of determining the intelligibility index of the Czech language and stating the relevance of individual voice-frequency bands for the overall transmission quality of the communication channel. There are 3 figures. The

VB

Card 1/2

MALAC, V.

A new crystal pickup with changeable points.

P. 22. (SLABOPROUDY ORZOR) (Praha, Czechoslovakia) Vol. 19, no. 1, Jan. 1953

SO: Monthly Index of East European Accession (EEAI) LC Vol. 7, No. 5, 1958

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

MALAC, V.

"Measurements on the three-speed H 13-50 phonograph." p. 248

SDELOVACI TECHNIKA. Praha, Czechoslovakia, Vol. 3, No. 8, Aug., 1955

Monthly List of East European Accessions (EEAI), LC, Vol. 8, No. 9, September, 1959
Unclassified

MALA, V.

PREROVSKY, I.; FEJFAR, Z.; FEJFAROVA, M.; MALA, V.; WIDIMSKY, J.; LINHART, J.

Bffort tests in adolescents. Pediat. listy, Praha 9 no.5:276-
280 Sept-Oct 54.

1. Ustav pro choroby obehu krevniho, Praha-Krc, reditel. prof.

MUDr. K.Weber

(CARDIOVASCULAR SYSTEM, function tests
effort test in adolescents)

LEJSEK, Karel; Technicka spolupracer MALA, R.

Effect of roentgen irradiation on the formation of oxidative products of lipids in homogenates of some rat organs. Sborn. ved. prac. lek. fak. Karlov. univ. (Hrad. Kral.) 6 no. 5 suppl. 571-576 '63

1. Katedra lekarske chemie (prednosta: MUDr. I. Hais), Karlova universita v Hradci Kralove.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

MALA, Milena

Calculation of basic indexes of the transportation plan on the
Ural 2 automatic computer. Doprava no.11:374-376 '62.

SLAMA, I.; MALA, J.; REGNER, A.

Oxidation of thallium (I) ions with chlorine in the eutectic solution
of lithium and potassium chloride. Coll Cz Chem 30 no.3:904-907
Mr '65.

1. Institut fur anorganische Chemie, Tschechoslowakische Akademie
der Wissenschaften, Prague. Submitted April 29, 1964.

ZARICKIJ, Petr Vasiljevic [Zaritskiy, Petr Vasil'yevich]; BOUSKA, Vladimir
[translator]; MALA, Ludmila [translator]

Geochemistry of coal bearing deposits as exemplified by the
Donets Basin. Cas min geol 8 no.3:266-267 J1 '63.

1. Kafedra mineralogii, Geologogeograficheskiy fakultet Gos.
universitsta, Kharkov, SSSR (for Zarickij).

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

ONDROVICOVA, J.; MALA, J.

Determining the nondissolved substances by membrane filters.
Vodni hosp 13 no.7:275-276 '63.

MALA, H.; RACENBERG, E.

Our experiences with the treatment of acute respiratory insufficiency. Rozhl. chir. 43 no. 6:368-371 Je'64

1. Ustav klinicke a experimentalni chirurgie v Praze; reditel prof. dr. B.Spacek, DrSc.

MALA, E.

1. DATE	2. SUBJECT	3. SOURCE	4. INFORMATION	5. ANALYSIS	6. CONCLUSION	7. RECOMMENDATION	8. ACTION	9. COMMENTS
10. APPROVAL	11. SIGNATURE	12. DATE	13. APPROVAL	14. SIGNATURE	15. DATE	16. APPROVAL	17. SIGNATURE	18. DATE
19. APPROVAL	20. SIGNATURE	21. DATE	22. APPROVAL	23. SIGNATURE	24. DATE	25. APPROVAL	26. SIGNATURE	27. DATE
28. APPROVAL	29. SIGNATURE	30. DATE	31. APPROVAL	32. SIGNATURE	33. DATE	34. APPROVAL	35. SIGNATURE	36. DATE
37. APPROVAL	38. SIGNATURE	39. DATE	40. APPROVAL	41. SIGNATURE	42. DATE	43. APPROVAL	44. SIGNATURE	45. DATE
46. APPROVAL	47. SIGNATURE	48. DATE	49. APPROVAL	50. SIGNATURE	51. DATE	52. APPROVAL	53. SIGNATURE	54. DATE
55. APPROVAL	56. SIGNATURE	57. DATE	58. APPROVAL	59. SIGNATURE	60. DATE	61. APPROVAL	62. SIGNATURE	63. DATE
64. APPROVAL	65. SIGNATURE	66. DATE	67. APPROVAL	68. SIGNATURE	69. DATE	70. APPROVAL	71. SIGNATURE	72. DATE
73. APPROVAL	74. SIGNATURE	75. DATE	76. APPROVAL	77. SIGNATURE	78. DATE	79. APPROVAL	80. SIGNATURE	81. DATE
82. APPROVAL	83. SIGNATURE	84. DATE	85. APPROVAL	86. SIGNATURE	87. DATE	88. APPROVAL	89. SIGNATURE	90. DATE
91. APPROVAL	92. SIGNATURE	93. DATE	94. APPROVAL	95. SIGNATURE	96. DATE	97. APPROVAL	98. SIGNATURE	99. DATE
100. APPROVAL	101. SIGNATURE	102. DATE	103. APPROVAL	104. SIGNATURE	105. DATE	106. APPROVAL	107. SIGNATURE	108. DATE
109. APPROVAL	110. SIGNATURE	111. DATE	112. APPROVAL	113. SIGNATURE	114. DATE	115. APPROVAL	116. SIGNATURE	117. DATE
118. APPROVAL	119. SIGNATURE	120. DATE	121. APPROVAL	122. SIGNATURE	123. DATE	124. APPROVAL	125. SIGNATURE	126. DATE
127. APPROVAL	128. SIGNATURE	129. DATE	130. APPROVAL	131. SIGNATURE	132. DATE	133. APPROVAL	134. SIGNATURE	135. DATE
136. APPROVAL	137. SIGNATURE	138. DATE	139. APPROVAL	140. SIGNATURE	141. DATE	142. APPROVAL	143. SIGNATURE	144. DATE
145. APPROVAL	146. SIGNATURE	147. DATE	148. APPROVAL	149. SIGNATURE	150. DATE	151. APPROVAL	152. SIGNATURE	153. DATE
154. APPROVAL	155. SIGNATURE	156. DATE	157. APPROVAL	158. SIGNATURE	159. DATE	160. APPROVAL	161. SIGNATURE	162. DATE
163. APPROVAL	164. SIGNATURE	165. DATE	166. APPROVAL	167. SIGNATURE	168. DATE	169. APPROVAL	170. SIGNATURE	171. DATE
172. APPROVAL	173. SIGNATURE	174. DATE	175. APPROVAL	176. SIGNATURE	177. DATE	178. APPROVAL	179. SIGNATURE	180. DATE
181. APPROVAL	182. SIGNATURE	183. DATE	184. APPROVAL	185. SIGNATURE	186. DATE	187. APPROVAL	188. SIGNATURE	189. DATE
190. APPROVAL	191. SIGNATURE	192. DATE	193. APPROVAL	194. SIGNATURE	195. DATE	196. APPROVAL	197. SIGNATURE	198. DATE
199. APPROVAL	200. SIGNATURE	201. DATE	202. APPROVAL	203. SIGNATURE	204. DATE	205. APPROVAL	206. SIGNATURE	207. DATE
208. APPROVAL	209. SIGNATURE	210. DATE	211. APPROVAL	212. SIGNATURE	213. DATE	214. APPROVAL	215. SIGNATURE	216. DATE
217. APPROVAL	218. SIGNATURE	219. DATE	220. APPROVAL	221. SIGNATURE	222. DATE	223. APPROVAL	224. SIGNATURE	225. DATE
226. APPROVAL	227. SIGNATURE	228. DATE	229. APPROVAL	230. SIGNATURE	231. DATE	232. APPROVAL	233. SIGNATURE	234. DATE
235. APPROVAL	236. SIGNATURE	237. DATE	238. APPROVAL	239. SIGNATURE	240. DATE	241. APPROVAL	242. SIGNATURE	243. DATE
244. APPROVAL	245. SIGNATURE	246. DATE	247. APPROVAL	248. SIGNATURE	249. DATE	250. APPROVAL	251. SIGNATURE	252. DATE
253. APPROVAL	254. SIGNATURE	255. DATE	256. APPROVAL	257. SIGNATURE	258. DATE	259. APPROVAL	260. SIGNATURE	261. DATE
262. APPROVAL	263. SIGNATURE	264. DATE	265. APPROVAL	266. SIGNATURE	267. DATE	268. APPROVAL	269. SIGNATURE	270. DATE
271. APPROVAL	272. SIGNATURE	273. DATE	274. APPROVAL	275. SIGNATURE	276. DATE	277. APPROVAL	278. SIGNATURE	279. DATE
280. APPROVAL	281. SIGNATURE	282. DATE	283. APPROVAL	284. SIGNATURE	285. DATE	286. APPROVAL	287. SIGNATURE	288. DATE
289. APPROVAL	290. SIGNATURE	291. DATE	292. APPROVAL	293. SIGNATURE	294. DATE	295. APPROVAL	296. SIGNATURE	297. DATE
298. APPROVAL	299. SIGNATURE	300. DATE	301. APPROVAL	302. SIGNATURE	303. DATE	304. APPROVAL	305. SIGNATURE	306. DATE
307. APPROVAL	308. SIGNATURE	309. DATE	310. APPROVAL	311. SIGNATURE	312. DATE	313. APPROVAL	314. SIGNATURE	315. DATE
316. APPROVAL	317. SIGNATURE	318. DATE	319. APPROVAL	320. SIGNATURE	321. DATE	322. APPROVAL	323. SIGNATURE	324. DATE
325. APPROVAL	326. SIGNATURE	327. DATE	328. APPROVAL	329. SIGNATURE	330. DATE	331. APPROVAL	332. SIGNATURE	333. DATE
334. APPROVAL	335. SIGNATURE	336. DATE	337. APPROVAL	338. SIGNATURE	339. DATE	340. APPROVAL	341. SIGNATURE	342. DATE
343. APPROVAL	344. SIGNATURE	345. DATE	346. APPROVAL	347. SIGNATURE	348. DATE	349. APPROVAL	350. SIGNATURE	351. DATE
352. APPROVAL	353. SIGNATURE	354. DATE	355. APPROVAL	356. SIGNATURE	357. DATE	358. APPROVAL	359. SIGNATURE	360. DATE
361. APPROVAL	362. SIGNATURE	363. DATE	364. APPROVAL	365. SIGNATURE	366. DATE	367. APPROVAL	368. SIGNATURE	369. DATE
370. APPROVAL	371. SIGNATURE	372. DATE	373. APPROVAL	374. SIGNATURE	375. DATE	376. APPROVAL	377. SIGNATURE	378. DATE
379. APPROVAL	380. SIGNATURE	381. DATE	382. APPROVAL	383. SIGNATURE	384. DATE	385. APPROVAL	386. SIGNATURE	387. DATE
388. APPROVAL	389. SIGNATURE	390. DATE	391. APPROVAL	392. SIGNATURE	393. DATE	394. APPROVAL	395. SIGNATURE	396. DATE
397. APPROVAL	398. SIGNATURE	399. DATE	400. APPROVAL	401. SIGNATURE	402. DATE	403. APPROVAL	404. SIGNATURE	405. DATE
406. APPROVAL	407. SIGNATURE	408. DATE	409. APPROVAL	410. SIGNATURE	411. DATE	412. APPROVAL	413. SIGNATURE	414. DATE
415. APPROVAL	416. SIGNATURE	417. DATE	418. APPROVAL	419. SIGNATURE	420. DATE	421. APPROVAL	422. SIGNATURE	423. DATE
424. APPROVAL	425. SIGNATURE	426. DATE	427. APPROVAL	428. SIGNATURE	429. DATE	430. APPROVAL	431. SIGNATURE	432. DATE
433. APPROVAL	434. SIGNATURE	435. DATE	436. APPROVAL	437. SIGNATURE	438. DATE	439. APPROVAL	440. SIGNATURE	441. DATE
442. APPROVAL	443. SIGNATURE	444. DATE	445. APPROVAL	446. SIGNATURE	447. DATE	448. APPROVAL	449. SIGNATURE	450. DATE
451. APPROVAL	452. SIGNATURE	453. DATE	454. APPROVAL	455. SIGNATURE	456. DATE	457. APPROVAL	458. SIGNATURE	459. DATE
460. APPROVAL	461. SIGNATURE	462. DATE	463. APPROVAL	464. SIGNATURE	465. DATE	466. APPROVAL	467. SIGNATURE	468. DATE
469. APPROVAL	470. SIGNATURE	471. DATE	472. APPROVAL	473. SIGNATURE	474. DATE	475. APPROVAL	476. SIGNATURE	477. DATE
478. APPROVAL	479. SIGNATURE	480. DATE	481. APPROVAL	482. SIGNATURE	483. DATE	484. APPROVAL	485. SIGNATURE	486. DATE
487. APPROVAL	488. SIGNATURE	489. DATE	490. APPROVAL	491. SIGNATURE	492. DATE	493. APPROVAL	494. SIGNATURE	495. DATE
496. APPROVAL	497. SIGNATURE	498. DATE	499. APPROVAL	500. SIGNATURE	501. DATE	502. APPROVAL	503. SIGNATURE	504. DATE
505. APPROVAL	506. SIGNATURE	507. DATE	508. APPROVAL	509. SIGNATURE	510. DATE	511. APPROVAL	512. SIGNATURE	513. DATE
514. APPROVAL	515. SIGNATURE	516. DATE	517. APPROVAL	518. SIGNATURE	519. DATE	520. APPROVAL	521. SIGNATURE	522. DATE
523. APPROVAL	524. SIGNATURE	525. DATE	526. APPROVAL	527. SIGNATURE	528. DATE	529. APPROVAL	530. SIGNATURE	531. DATE
532. APPROVAL	533. SIGNATURE	534. DATE	535. APPROVAL	536. SIGNATURE	537. DATE	538. APPROVAL	539. SIGNATURE	540. DATE
541. APPROVAL	542. SIGNATURE	543. DATE	544. APPROVAL	545. SIGNATURE	546. DATE	547. APPROVAL	548. SIGNATURE	549. DATE
550. APPROVAL	551. SIGNATURE	552. DATE	553. APPROVAL	554. SIGNATURE	555. DATE	556. APPROVAL	557. SIGNATURE	558. DATE
559. APPROVAL	560. SIGNATURE	561. DATE	562. APPROVAL	563. SIGNATURE	564. DATE	565. APPROVAL	566. SIGNATURE	567. DATE
568. APPROVAL	569. SIGNATURE	570. DATE	571. APPROVAL	572. SIGNATURE	573. DATE	574. APPROVAL	575. SIGNATURE	576. DATE
577. APPROVAL	578. SIGNATURE	579. DATE	580. APPROVAL	581. SIGNATURE	582. DATE	583. APPROVAL	584. SIGNATURE	585. DATE
586. APPROVAL	587. SIGNATURE	588. DATE	589. APPROVAL	590. SIGNATURE	591. DATE	592. APPROVAL	593. SIGNATURE	594. DATE
595. APPROVAL	596. SIGNATURE	597. DATE	598. APPROVAL	599. SIGNATURE	600. DATE	601. APPROVAL	602. SIGNATURE	603. DATE
604. APPROVAL	605. SIGNATURE	606. DATE	607. APPROVAL	608. SIGNATURE	609. DATE	610. APPROVAL	611. SIGNATURE	612. DATE
613. APPROVAL	614. SIGNATURE	615. DATE	616. APPROVAL	617. SIGNATURE	618. DATE	619. APPROVAL	620. SIGNATURE	621. DATE
622. APPROVAL	623. SIGNATURE	624. DATE	625. APPROVAL	626. SIGNATURE	627. DATE	628. APPROVAL	629. SIGNATURE	630. DATE
631. APPROVAL	632. SIGNATURE	633. DATE	634. APPROVAL	635. SIGNATURE	636. DATE	637. APPROVAL	638. SIGNATURE	639. DATE
640. APPROVAL	641. SIGNATURE	642. DATE	643. APPROVAL	644. SIGNATURE	645. DATE	646. APPROVAL	647. SIGNATURE	648. DATE
649. APPROVAL	650. SIGNATURE	651. DATE	652. APPROVAL	653. SIGNATURE	654. DATE	655. APPROVAL	656. SIGNATURE	657. DATE
658. APPROVAL	659. SIGNATURE	660. DATE	661. APPROVAL	662. SIGNATURE	663. DATE	664. APPROVAL	665. SIGNATURE	666. DATE
667. APPROVAL	668. SIGNATURE	669. DATE	670. APPROVAL	671. SIGNATURE	672. DATE	673. APPROVAL	674. SIGNATURE	675. DATE
676. APPROVAL	677. SIGNATURE	678. DATE	679. APPROVAL	680. SIGNATURE	681. DATE	682. APPROVAL	683. SIGNATURE	684. DATE
685. APPROVAL	686. SIGNATURE	687. DATE	688. APPROVAL	689. SIGNATURE	690. DATE	691. APPROVAL	692. SIGNATURE	693. DATE
694. APPROVAL	695. SIGNATURE	696. DATE	697. APPROVAL	698. SIGNATURE	699. DATE	700. APPROVAL	701. SIGNATURE	702. DATE
703. APPROVAL	704. SIGNATURE	705. DATE	706. APPROVAL	707. SIGNATURE	708. DATE	709. APPROVAL	710. SIGNATURE	711. DATE
712. APPROVAL	713. SIGNATURE	714. DATE	715. APPROVAL	716. SIGNATURE	717. DATE	718. APPROVAL	719. SIGNATURE	720. DATE
721. APPROVAL	722. SIGNATURE	723. DATE	724. APPROVAL	725. SIGNATURE	726. DATE	727. APPROVAL	728. SIGNATURE	729. DATE
730. APPROVAL	731. SIGNATURE	732. DATE	733. APPROVAL	734. SIGNATURE	735. DATE	736. APPROVAL	737. SIGNATURE	738. DATE
739. APPROVAL	740. SIGNATURE	741. DATE	742. APPROVAL	743. SIGNATURE	744. DATE	745. APPROVAL	746. SIGNATURE	747. DATE
748. APPROVAL	749. SIGNATURE	750. DATE	751. APPROVAL	752. SIGNATURE	753. DATE	754. APPROVAL	755. SIGNATURE	756. DATE
757. APPROVAL	758. SIGNATURE	759. DATE	760. APPROVAL	761. SIGNATURE	762. DATE	763. APPROVAL	764. SIGNATURE	765. DATE
766. APPROVAL	767. SIGNATURE	768. DATE	769. APPROVAL	770. SIGNATURE	771. DATE	772. APPROVAL	773. SIGNATURE	774. DATE
775. APPROVAL	776. SIGNATURE	777. DATE	778. APPROVAL	779. SIGNATURE	780. DATE	781. APPROVAL	782. SIGNATURE	783. DATE
784. APPROVAL	785. SIGNATURE	786. DATE	787. APPROVAL	788. SIGNATURE	789. DATE	790. APPROVAL	791. SIGNATURE	792. DATE
793. APPROVAL	794. SIGNATURE	795. DATE	796. APPROVAL	797. SIGNATURE	798. DATE	799. APPROVAL	800. SIGNATURE	801. DATE
802. APPROVAL	803. SIGNATURE	804. DATE	805. APPROVAL	806. SIGNATURE	807. DATE	808. APPROVAL	809. SIGNATURE	810. DATE
811. APPROVAL	812. SIGNATURE	813. DATE	814. APPROVAL	815. SIGNATURE	816. DATE	817. APPROVAL	818. SIGNATURE	819. DATE
820. APPROVAL	821. SIGNATURE	822. DATE	823. APPROVAL	824. SIGNATURE	825. DATE	826. APPROVAL	827. SIGNATURE	828. DATE
829. APPROVAL	830. SIGNATURE	831. DATE	832. APPROVAL	833. SIGNATURE	834. DATE	835. APPROVAL	836. SIGNATURE	837. DATE
838. APPROVAL	839. SIGNATURE	840. DATE	841. APPROVAL	842. SIGNATURE	843. DATE	844. APPROVAL	845. SIGNATURE	846. DATE
847. APPROVAL	848. SIGNATURE	849. DATE	850. APPROVAL	851. SIGNATURE	852. DATE	853. APPROVAL	854. SIGNATURE	855. DATE
856. APPROVAL	857. SIGNATURE	858. DATE	859. APPROVAL	860. SIGNATURE	861. DATE	862. APPROVAL	863. SIGNATURE	864. DATE
865. APPROVAL	866. SIGNATURE	867. DATE	868. APPROVAL	869. SIGNATURE	870. DATE	871. APPROVAL	872. SIGNATURE	873. DATE
874. APPROVAL	875. SIGNATURE	876. DATE	877. APPROVAL	878. SIGNATURE	879. DATE	880. APPROVAL	881. SIGNATURE	882. DATE
883. APPROVAL	884. SIGNATURE	885. DATE	886. APPROVAL	887. SIGNATURE	888. DATE	889. APPROVAL	890. SIGNATURE	891. DATE
892. APPROVAL	893. SIGNATURE	894. DATE	895. APPROVAL	896. SIGNATURE	897. DATE	898. APPROVAL	899. SIGNATURE	900. DATE
901. APPROVAL	902. SIGNATURE	903. DATE	904. APPROVAL	905. SIGNATURE	906. DATE	907. APPROVAL	908. SIGNATURE	909. DATE
910. APPROVAL	911. SIGNATURE	912. DATE	913. APPROVAL	914. SIGNATURE	915. DATE	916. APPROVAL	917. SIGNATURE	918. DATE
919. APPROVAL	920. SIGNATURE	921. DATE	922. APPROVAL	923. SIGNATURE	924. DATE	925. APPROVAL	926. SIGNATURE	927. DATE
928. APPROVAL	929. SIGNATURE	930. DATE	931. APPROVAL	932. SIGNATURE	933. DATE	934. APPROVAL	935. SIGNATURE	936. DATE
937. APPROVAL	938. SIGNATURE	939. DATE	940. APPROVAL	941. SIGNATURE	942. DATE	943. APPROVAL	944. SIGNATURE	945. DATE
946. APPROVAL	947. SIGNATURE	948. DATE	949. APPROVAL	950. SIGNATURE	951. DATE	952. APPROVAL	953. SIGNATURE	954. DATE
955. APPROVAL	956. SIGNATURE	957. DATE	958. APPROVAL	959. SIGNATURE	960. DATE	961. APPROVAL	962. SIGNATURE	963. DATE
964. APPROVAL	965. SIGNATURE	966. DATE	967. APPROVAL	968. SIGNATURE	969. DATE	970. APPROVAL	971. SIGNATURE	972. DATE
973. APPROVAL	974. SIGNATURE	975. DATE	976. APPROVAL	977. SIGNATURE	978. DATE	979. APPROVAL	980. SIGNATURE	981. DATE
982. APPROVAL	983. SIGNATURE	984. DATE	985. APPROVAL	986. SIGNATURE	987. DATE	988. APPROVAL	989. SIGNATURE	990. DATE
991. APPROVAL	992. SIGNATURE	993. DATE	994. APPROVAL	995. SIGNATURE	996. DATE	997. APPROVAL	998. SIGNATURE	999. DATE
1000. APPROVAL	1001. SIGNATURE	1002. DATE	1003. APPROVAL	1004. SIGNATURE	1005. DATE	1006. APPROVAL	1007. SIGNATURE	1008. DATE

CZECHOSLOVAKIA/Chemical Technology. Chemical Products and
Their Application. Medicinals. Vitamins. Anti-
biotics.

H-17

Abs Jour: Ref Zhur-Khim., No 13, 1958, 44309.

with CH_3COCl according to Fischer), for determining
water in various medicinal substances. Bibliography
35 references.

Card : 2/2

CZECHOSLOVAKIA/Chemical Technology. Chemical Products and
Their Application. Medicinals. Vitamins.
Antibiotics.

H-17

Abs Jour: Ref Zhur-Khim., No 13, 1958, 44309.

Author : Mala Dagmar, Melichar Bohuslav, Maly Josef.
Inst :

Title : Determination of Water in Pharmaceutical Prepara-
tions.

Orig Pub: Farmacia, 1955, 24, No 1, 2-9.

Abstract: A review of the physical methods (drying, determination of electric properties, polarography, colorimetry, hetero-azeotropic distillation) and chemical methods (reaction with CaC_2 , CaH_2 , HCOOC_2H_5 and $\text{C}_2\text{H}_5\text{ONa}$, and

Card : 1/2

ERDMAN, M.E.; MAL', S.S.; RAKOVSKIY, V.Ye.

Determination of nitrogen in some heterocyclic compounds by
the Kjeldahl semimicromethod. Zav. lab. 29 no.9:1058-1059 '63.
(MIRA 17:1)

1. Institut torfa AN BSSR.

RAKOVSKIY, V.Ye.; MAL', S.S.; VOLOSOVICH, N.S.

Formation and composition of water-soluble products of thermal de-composition of peat. Dokl. AN BSSR 5 no.12:558-560 D '61.
(MIRA 15:1)

1. Institut torfa AN BSSR.
(Peat gasification) (Tar)

MAL', S.S.; VOLOSOVICH, KOTKOVSKIY, A.P.; RAKOVSKIY, V.Ye.

Products obtained by the processing of the tar water from peat
gasification. Trudy Inst. torf. AM BSSR 9:285-295 '60.

(MIRA 14:2)

(Peat gasification)

BALAKHONOV, S.I.; MAL', S.S.

Ammonium sulfate obtained from peat-tar water and its use in the
national economy. Trudy Inst. torf. AN BSSR 9:211-215 '60.
(MIRA 14:2)

(Peat) (Ammonium sulfate)

RAKOVSKIY, V.Ye.; KOTKOVSKIY, A.P.; MAL', S.S.; PASTUKHOV, G.M.;
BARANCHIKOVA, M.I.; VOLOSOVICH, N.S.; DROZHALINA, N.D.;
KASHIRINA, S.V.; MAKEYEVA, G.P.

Results of testing a pilot unit for processing tar water.
Trudy Inst. torfa AN BSSR 7:240-257 '59. (MIRA 14:1)
(Peat gasification) (Industrial wastes)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

RAKOVSKIY, V.Ye.; MAL', S.S.

Removing water-soluble compounds from tar water at plants producing
gas from lowland peat. Trudy Inst. torf. AN BSSR 6:266-273 '57.
(MIRA 11:7)


(Peat gasification--By-products)

MAL', S.S.; RAKOVSKIY, V.Ye.; KOTKOVSKIY, A.P.

Studying tar water produced during the gasification of peat under
pressure in a steam-oxygen blast. Trudy Inst. torf. AN BSSR 6:257-265
'57. (MIRA 11:7)

(Peat gasification--By-products)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6



MAL', S. S.

MAL', S. S.: "The separation of the water-soluble compounds from the products of gasification of bog peat." Acad Sci Belorusussian SSR. Department of physicomathematical and Technical Sciences. Minsk, 1956.
(Dissertation for the Degree of Candidate in Technical Sciences).

SO: Knizhnaya Letopis', No 43, 1956

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

U.S. R

INJECTION OF STAINLESS STEEL CYLINDRICAL PIECES. To test the effect of stainless steel on the growth of *Leptothrix*, 1.5 mm. long, 1 mm. diameter pieces were sterilized by autoclaving at 120° C. for 15 minutes. Some of these pieces were given for multiplication with a mixed air and steam blast, of peat inoculated in 100 ml. flasks of the usual 300 by 120 by 100 mm. size instead of the usual 300 by 120 by 100 mm. size, and sterilized by peat volatiles and steam supply.

Inst. Rast, Acad. Sci. BSSR

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

1/2026 PROPERTIES OF SILICATE GLASS AND PLATES OF THE SILICATE GLASS
NAME: NAL'IN, NIKOLAEVICH (72 cm X 100 cm) 1970, No. 1074
ADDRESS: Institute of Glass, USSR Academy of Sciences, Photochimie Bureau, 117017, Moscow, USSR
DATE: 1970-09-06
CONCENTRATION OF WATER-SOLUBLE compounds in it was not sufficient for
the formation of a glassy state. It is proposed to make an increase in the concentration.

Giot

RAKOVSKIY, V.Ye.; KOTKOVSKIY, A.P.; MAL', S.A.; EL'KIND, L.B.;
DROZHALINA, N.D.; BARANCHIKOVA, M.I.; VOLOSOVICH, N.S.

Separation of phenols in a continuous distillation of peat tar.
Trudy Inst. torfa AN BSSR 7:187-197 '59. (MIRA 14:1)
(Peat) (Distillation, Fractional) (Phenols)

MAKYUKOV, A. V. (Director)

"Cups - a medicinal agent in veterinary science."

SO: Vet. 24 (5) 1947, p. 43

Sochinsk Vet. Bact. Lab.

MITSIO NAKAMURA; SOICHI KHOSEI; BAKLI, A.R.; PARKINSON, U.;
ATKINS, G.B.; KIL'PINEN, Urkho; PERGYUSON, D.D.;
MAKVEYG, Amos; TAMMINEN, Mauro; ISKARO, Rubens; ZILLER, Armando

Significance of the Fifth World Trade-Union Congress to the
workers. Vsem. prof. dvizh. no.8:7-14 Ag '61.

(MIRA 14:8)

1. Chlen Ispolnitel'nogo komiteta mestnoy sektsii v Niigata, Yaponiya (for Mitsuo Nakamura).
2. Chlen TSentral'nogo ispolnitel'nogo komiteta profsoyuza trudyashchikhsya gosudarstvennykh zheleznykh dorog, Yaponiya (for Soichi Khosoi).
3. General'nyy sekretar' Federatsii kotel'shchikov Avstralii (for Bakli).
4. Predsedatel' Avstraliyskoy federatsii gornyakov i trudyashchikhsya shifernykh predpriyatiy (for Parkinson).
5. Federal'nyy sekretar' Assotsiatsii kuznetsov Avstralii (for Atkins).
6. Sekretar' kaznachey Avstraliyskoy assotsiatsii parovoznykh mekhanikov i mashinistov (Novyy Yuzhnyy Uel's) (for Pergyuson).
7. Sekretar' Avstraliyskoy federatsii rabotnikov promyshlennosti po proizvodstvu alkogol'nykh napitkov i rodstvennykh predpriyatiy (sektsiya Novogo Yuzhnogo Uel'sa) (for Makveyg).
8. Sekretar' profsoyuza kamenshchikov Finlyandii (for Kil'pinen).
9. Sekretar' profsoyuza vodolazov Finlyandii (for Tamminen).
10. Chlen Ispolnitel'nogo komiteta Vsemirnoy federatsii profsoyuzov (for Iskaro).
11. Vitse-predsedatel' Natsional'noy konfederatsii bankovskikh sluzhashchikh Braziliia, predsedatel' Federatsii bankovskikh sluzhashchikh shtata Minas Zherias (for Ziller). (World Federation of Trade Unions--Congresses)

GALKIN, G.V.; GRANOVSKAYA, A.Yu.; MAKVETSOV, Ye.N.; SPIGLAZOV,
Ye.F.; RYAZANKIN, V.N., red.; MAKAROV, M.S., red.

[Punched-card computing machines P80-5, P80-6, PA80-2
perforators, K80-6, K45-6, KA80-2 controllers, and S80-5,
S45-5, S80-5M, S45-5M sorting units] Schetno-perforatsion-
nye mashiny; perforatory P80-5, P80-6, PA80-2, kontrol'niki
K80-6, K45-6, KA80-2 i sortirovki S80-5, S45-5, S80-5M,
S45-5M. Moskva, Statistika, 1965. 207 p. (MIRA 18:9)

CHRISTENKO, P.I. [Khristenko, P.I.]; PETROV, P.A.; MITROPOLEVSKIY, V.A.
[Mitropolevskiy, V.A.]; SINELNIKOV, K.D. [Sinel'nikov, K.D.];
IVANOV, V.J. [Ivanov, V.Ye.]; ZELENSKIY, V.F. [Zelenskiy, V.F.];
MAKVART, J. [translator]; KLIK, F. [translator]

Pin fuel-element for gas cooled heavy water power reactors.
Jaderna energie 4 no.11:330-338 N '58.

MAKUYLOV, I.K.

CHERNIKOV, S.S.; MAKUYLOV, L.K.; BELOV, V.S.

The MA-1 vertical broaching machine as part of assembly line. Stan. i
instr. 2" no.11:18-20 N'56. (MIRA 10:1)
(Broaching machines)

MAKUTZ, A.

MAKUTZ, A.

MAKUTZ, A. Some important problems of the electrolysis of zinc. p. (h.)

Vol. 8, no. 2, Feb. 1956.

METALURGIA SI CONSTRUCTIA DE MASINI.

TECHNOLOGY

RUMANIA

See: East European Accession, Vol. 4, No. 5, May 1957


KURKUMELI, A.A., inzh.; SAMARIN, V.I., inzh.; MAKUTIN, K.B., inzh.; SKOPINOV, Ye.N., inzh.

Automatic welding with a three-phase arc of the AMg6 alloy in assembly operations. Svar.proizv. no.5:20-21 My '65.

(MIRA 18:6)

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

SPR 2005 - 46



APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

MAKUSZ, G.

Preservation of ditches and drainage installations in forests. p. 7.

LAS POLASKI. (Ministerstwo Lesnictwa oraz Stowarzyszenie Naukowo-Techniczne Inżynierów i Techników Leśnictwa i Drzewnictwa) Warszawa, Poland, Vol. 32, no. 13; 14, July 1958.

Monthly List of East European Accessions (EEAI) LC, Vol. 9, No. 1, Jan. 1960
Uncl.

MAKUSZ, G.

Research on forest conditions before drainage. p. 8.

LAS POLSKI. (Ministerstwo Lesnictwa Oraz Stowarzyszenie Naukowo-Techniczne Inżynierow i Technikow Lesnictwa i Drzewnictwa) Warszawa, Poland. Vol. 32, no. 7, Apr. 1958.

Monthly List of East European Accession (EEAI) LC, Vol. 9, no. 1, Jan. 1960.
Uncl.

LYUBIMOV, A.N.; VARENIK, A.F.; ZIMINA, K.I.; MATVEYEV, Ye.L.; MALAKHAYEV, Ye.M.

Method for finding the optimum location for the magnet of a
nuclear magnetic resonance spectrometer of high resolving power.
Zav. lab. 31 no.8:1023-1025 '65. (MIRA 18:9)

1. Nauchno-issledovatel'skiy institut po pererabotke nefti.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

SEVEROENKO, V.P.; MAKASHOK, Ye.M.; SEGAL, V.M.

Integration of equations of a field of slip lines. Dokl. AN BSSR 9
no. 72454-457 Jl. '65.
(MIRA 18:9)

L. Fiziko-tehnicheskiy institut AN Belorusskoy SSR.

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

SEVERDENKO, V.P.; MAKUSHOK, Ye.M.; SEGAL, V.N.

Flow from a plane stamp into a slot. Dokl. AN BSSR 9 no. 61277-375
Je '65.
(MIRA 18:2)

I. Fiziko-tehnicheskiy Institut AN BSSR.

MAKUSHOK, Ye.M. (Minsk); SEGAL, V.M. (Minsk)

Some dependences in a field of sliding lines formed by circular
curves. Inzh. zhur. 5 no.4:711-721 '65. (MIR 1819)

MAKUSHOK, Ye.M.

Plasticity condition in a shear line field. Dokl. AN BSSR 7
no.8:531-533 Ag '63. (MIRA 16:10)

1. Fiziko-tehnicheskiy institut AN BSSR. Predstavлено
академиком AN BSSR V.P. Severdenko.

MAKUSHOK, Ye.M.

Some shortcomings in methods of measuring normal strains in
plastic deformations. Sbor. nauch. trud. Fiz.-tekhn. inst. AN BSSR
no. 7:92-95 '61. (MIRA 15:7)
(Strain gauges) (Deformations (Mechanics))

APPROVED FOR RELEASE: 06/23/11: CIA-RDP86-00513R001031700033-6

MAKUSHOK, Ye.M.

Die impression with floating ring. Sbor, nauch. trud. Fiz.-
tekhn. inst. AN BSSR no. 7:89-91 '61. (MRA 15:7)
(Dies (Metalworking))

MAKUSHOK, Ye.M.

Approximate calculation of unit-pressure diagrams due to the
extrusion of metals through a slot. Sbor.nauch.trud.Fiz.-tekhn.
inst.AN BSSR no.6:78-81 '60. (MIRA 14:6)
(Deformations (Mechanics))

MAKUSHOK, Ye.M.

Distribution of pressures caused by upsetting. Sbor.nauch.trud.
Fiz.-tekhn.inst.AN BSSR no.6:74-77 '60. (MIRA 14:6)
(Deformations (Mechanics))